


FortiMail™ For Email Security





Highlights

- Protection against email-borne threats
- Validated performance
- Fabric-enabled email security
- Powered by FortiGuard Labs

Powerful, Scalable Email Security Protection Available in an Array of Deployment Models

With best-in-class performance validated by independent testing firms, FortiMail delivers advanced multi-layered protection against the full spectrum of email-borne threats. Powered by FortiGuard Labs threat intelligence and integrated into the Fortinet Security Fabric, FortiMail helps your organization prevent, detect, and respond to email-based threats including spam, phishing, malware, zero-day threats, impersonation, and Business Email Compromise (BEC) attacks

Features



Protection Against Email-borne Threats

Powerful anti-spam and anti-malware are complemented by advanced techniques like outbreak protection, content disarm and reconstruction, sandbox analysis, impersonation detection, and other technologies to stop unwanted bulk email, phishing, ransomware, business email compromise, and targeted attacks.



Validated Performance

Fortinet is one of the only email security vendors to consistently prove the efficacy of FortiMail through independent testing. FortiMail earned a AAA rating from SE Labs and a 99.97% Spam Catch Rate from Virus Bulletin.



Fabric-enabled Email Security

FortiMail is integrated with Fortinet products as well as third-party components help you adopt a proactive approach to security by sharing IoCs across a seamless Security Fabric. It also enables advanced and complementary email security protection for Microsoft 365 and Google Gsuite Cloud email through API-level integration.



Powered by FortiGuard Labs

Fortinet FortiMail is powered by threat intelligence and FortiGuard Al-powered Security Services like antivirus, virus outbreak protection, and antispam, from FortiGuard Labs. With visibility across 600,000 customer environments worldwide, FortiGuard Labs is one of the preeminent threat research teams in existence.

We want full control.

Email security solutions for organizations that prefer full control and management over their email security infrastructure.

Check the box against:

- Spam
- Phishing
- Spear-phishing and Whale phishing
- Malicious Attachments and URLs
- Ransomware
- · Zero-day Threats
- Impersonation
- Business Email Compromise (BEC)




Features



Proactive Email Security

FortiMail addresses the full spectrum of risks that email poses to organizations, fortified by FortiGuard Labs' global visibility and intelligence on the latest threats.





Multi-Layered Anti-Spam

Multiple sender, protocol and content inspection techniques shield users from spam and junk mail. Using a combination of reputation analysis, connection filtering, authentication and recipient verification methods allows for fast and accurate email protection. Checks include IP, domain, sender, SPF, DKIM, DMARC and geographical restrictions.

Finally, message structure and content are analyzed based on the digital signature, keywords in context, image analysis, embedded URIs, and more advanced techniques such as behavior analysis and spam outbreak protection. Working together, these techniques consistently identify and block a verified 99.97% of spam in real-world conditions.



Powerful Anti-Malware

Combining multiple static and dynamic technologies that include signature, heuristic, and behavioral techniques along with virus outbreak prevention, FortiMail protects against a wide range of constantly evolving threats.



Advanced Threat Protection (ATP)

For an even stronger defense against the very latest threat classes like business email compromise and targeted attacks, FortiMail offers optional content disarm and reconstruction, sandbox analysis, sophisticated spoof detection, and more.



Integrated Data Los Prevention

A robust set of capabilities for data loss prevention and email encryption safely deliver sensitive emails and protect against the inadvertent loss of data. These features facilitate compliance with corporate policies and industry regulations.



Intuitive Controls

Real-time dashboards, rich reporting, centralized quarantine and simple to use end-user controls allow organizations to get running and realize value quickly. An intuitive user interface combined with flexible MTA and mail-handling capabilities give full visibility and control over email traffic.




Features



Integration with the Fortinet Security Fabric

The future of email security is platform- or fabric-enabled to counter the growing sophistication of threats and multi-vector campaigns. As part of the Fortinet Security Fabric, Indicators of Compromise and other telemetry can be shared for enhanced security across your entire security infrastructure.

IT and security teams are able to more completely connect the dots to identify multi-vector campaigns by sophisticated actors. In addition, intensive and repetitive workflows including response can be automated to reduce the burden on security operations teams.



Industry Recognized, Top-Rated Performance

FortiMail delivers superior performance as measured by independent third-party testers.



99.98% Spam Catch Rate



100% Malware Detected



Features


Intuitive Email Management

Real-time dashboards, rich reporting, centralized quarantines, and end user controls along with full MTA and mail-handling capabilities provide organizations full visibility and easy control over email traffic.



Easy-to-Use Configuration

Easy-to-use configuration controls make setting up and managing email security – even advanced security capabilities – easy for organizations of all sizes and use cases





Hands on or hands off?

Which FortiMail solution is best for you?

We want full control.

Virtual Machines and appliances for teams who want total control over their infrastructure and email security.

Manage it for us.

Email security as a service for teams who just want to focus on monitoring and responding to email threats. Fortinet handles the infrastructure.

Read the FortiMail Cloud data sheet >

Features

High Performance, Flexible Deployment

Scale easily to handle millions of messages per hour. Serving organizations of all sizes, Fortinet provides a wide range of deployment models and operation modes to best match your organization's email security needs.

Deployment Models

Appliances and Virtual Machines

FortiMail appliances and virtual machines are for organizations that prefer full control and management over their email security infrastructure for on-premise and cloud use cases.

- · Appliances for on-premise environments
- Virtual machines for running on:
 - Popular hypervisor platforms including:
 - VMWare
 - Citrix XenServer
 - Hyper-V
 - KVM
 - Major cloud platforms:
 - AWS
 - Azure
 - Google Cloud
 - Oracle

FortiMail Cloud

FortiMail Cloud for organizations that want simple, easyto-use email security as-a-service for both on-premise and cloud-based email services.

Operation Modes

Gateway Mode

Provides inbound and outbound proxy mail transfer agent (MTA) services for existing email gateways. A simple DNS MX record change redirects email to FortiMail for analysis. FortiMail then relays safe email to its destination email server for delivery.

Microsoft and Google Cloud Email API Integration

FortiMail can be deployed out of line to simplify deployment, so no MX record change is required, and leverage the native Microsoft and Google APIs to deliver threat detection and post-delivery message clawback. Broad flexibility is possible with clawback to create policies that address compliance or unique business requirements, such as building search parameters based on keywords, file name, or content type. These capabilities can serve as powerful complements to native Microsoft and Google security features to bolster overall efficacy and reduce risk.

Transparent Mode

Transparent mode eliminates the need to change the DNS MX record, or to change the existing email server network configuration. Transparent mode is particularly appealing for service providers that want to extend email security services to their customer bases. Not available with FortiMail Cloud.

Server Mode

The FortiMail device acts as a standalone messaging server with full SMTP email server functionality, including flexible support for secure POP3, IMAP, and WebMail access.



Feature Bundles

We want	full control.		
Feature	Base Bundle	Enterprise Advanced Threat Protection Bundle	Ent. ATP with Cloud Email API Support Bundle
99.97% Spam Capture Rate	\odot	\odot	\bigcirc
Advanced Multi-Layer Malware Detection	\odot	\odot	\odot
Inbound and Outbound Filtering	\odot	\odot	\odot
Integration with Customer LDAP	\odot	\odot	\odot
Secure Message Delivery (TLS)	\odot	\odot	\odot
Message Tracking	\odot	\odot	\odot
Virus Outbreak Service	\odot	\odot	\odot
Identity-Based Encryption (IBE)	\odot	\odot	\odot
Reporting	\odot	\odot	\odot
Email Data Loss Prevention	\odot	\odot	\odot
Content Disarm and Reconstruction		\odot	\odot
URL Click Protection		\odot	\odot
Impersonation Analysis		\odot	\odot
Cloud Sandboxing		\odot	\odot
Real-time Scanning of Microsoft and Google Mailboxes			
Scheduled Scanning of Microsoft and Google Mailboxes			
Post-delivery Clawback of Newly Discovered Email Threats			

Additional Add-on Capabilities





Email Continuity

Email Continuity for FortiMail Cloud is designed to protect valuable productivity by providing emergency mailbox services when organizations experience an outage of their email services.

Dynamic Image Analysis Service

Protects your organization and employees against inappropriate and sexually explicit images.

Integrations with Fortinet Solutions



FortiAnalyzer



Fortilsolator



FortiSandbox Cloud



FortiSOAR



FortiAnalyzer Cloud



FortiNDR



FortiSIEM



Features Summary

SYSTEM

Wide range of deployment and operation options

- On-premise or public or private cloud deployment
- Gateway, M365 API, Transparent, and Server Mode
- Cloud-Managed Service

Inbound and Outbound Inspection

Support for multiple email domains with per-domain customization

- MSSP multi-tenant support with white label support
- Multi-tier administration

IPv4 and IPv6 Address Support

Virtual Hosting using Source and/or Destination IP Address Pools

SMTP Authentication Support via LDAP, RADIUS, POP3 and IMAP

LDAP-Based Email Routing

Per User Inspection using LDAP Attributes on a Per Policy (Domain) Basis

Geographic IP location-based policy

Comprehensive Webmail Interface for Server Mode Deployments and Quarantine Management

Mail Queue Management

Multiple Language Support for Webmail and Admin Interface

SMTP RFC Compliance

Modern HTML 5 GUI

Independently tested by SELabs, and Virus Bulletin

Compatibility with cloud services e.g. Microsoft 365, Google Workspace, Amazon AWS, and Microsoft Azure

DNS-based Authentication of Named Entities (DANE) support

ANTISPAM

FortiGuard Antispam Service

- Sender and domain reputation
- Spam and attachment signatures
- Dynamic heuristic rules
- Outbreak protection

Full FortiGuard URL Category Filtering includes

- Spam, malware and phishing URLs
- Pornographic and adult URLs
- Newly registered domains

Greylisting for IPv4, IPv6 addresses and email accounts

Local sender reputation (IPv4, IPv6 and End Point ID-based)

Behavioral analysis

Integration with third-party spam URI and real-time blacklists (SURBL/RBL)

Newsletter (greymail) and suspicious newsletter detection

PDF Scanning and image analysis

Block/safe lists at global, domain, and user levels

Support for enterprise sender identity standards

- Sender Policy Framework (SPF)
- Domain Keys Identified Mail (DKIM)
- Domain-Based Message Authentication (DMARC)

Flexible action and notification profiles

Multiple system and per-user self-service quarantines

TARGETED ATTACK PROTECTION

Content Disarm and Reconstruction

- Neutralize Office and PDF documents (remove macros, active content, attachments, and more)
- Neutralize email HTML content by removing hyperlinks / rewrite URLs

Business Email Compromise (BEC)

- Multi-level anti-spoof protection
- Impersonation analysis manual and automatic address impersonation detection
- Cousin domain detection

URL Click Protect to rewrite URLs and rescan on access

Integration with Fortilsolator Browser Isolation platform to neutralize browser-based threats

API INTEGRATION

Microsoft 365 and Google Gsuite Email Integration

- Post-delivery threat clawback
- Scheduled scan
- Real-time scanning
- Internal mail scanning

CONTENT DETECTION

FortiGuard Antivirus Service detection

- CPRL signature checking
- Heuristic based behavioral detection
- Greyware detection

FortiGuard Virus Outbreak Protection Service

- Global threat intelligence and data analytics

Active content detection (PDF & Office Documents)

Rescan for threats on quarantine release

Custom file hash checking

Mime and file type detection

Comprehensive data-loss prevention with file fingerprinting and sensitive data detection

- Automatic Windows fileshare and manual upload file fingerprinting
- Healthcare, Finance, personally identifiable information and profanity detection

Automatic decryption of Archives, PDF and Office Documents using built-in and administrator-defined password lists and word detection within email body

PDF Scanning and image analysis

Dynamic Image Analysis Service

- Identify and report on illicit and sexually explicit content

ENCRYPTION

Comprehensive encryption support

- Server to server TLS with granular ciphersuite control and optional enforcement
- C/N/IN/I
- Clientless encryption to the recipient desktop using Identity Based Encryption (IBE)
- Optional Outlook plugin to trigger Identity Based Encryption (IBE)

MANAGEMENT, LOGGING, AND REPORTING

Basic/advanced management modes

Per domain, role-based administration accounts

Comprehensive activity, configurations change and incident logging and reporting

Built-in reporting module

Detailed message tracking

Centralized quarantine for large scale deployments

Optional centralized logging and reporting with FortiAnalyzer

 $\ensuremath{\mathsf{SNMP}}$ support using standard and private MIB with threshold-based traps

Local or external storage server support, including iSCSI devices

External Syslog support

Open REST API for configuration and management

HIGH AVAILABILITY (HA)

High availability supported in all deployment scenarios

- Active-Passive mode
- Active-Active configuration synchronization mode

Quarantine and mail queue synchronization

Device failure detection and notification

Link status, failover and redundant interface support

ADVANCED

Policy-based e-mail archiving with remote storage options

- Support for Exchange journal archiving

Advanced Email Server feature set including

- Comprehensive webmail interface
- POP3, IMAP mail accessCalendaring functions
- Undo Send

SAML 2.0 SSO and ADFS integration for webmail and quarantine access

SUPPORT

Simple support options with inclusive bundles

Advanced RMA Support

Professional services and installation support options

Specifications

	FORTIMAIL 200F	FortiMail 400F	FortiMail 900F
Recommended Deployment Scenarios			
	Small businesses, branch offices, and organizations	Small to midsized organizations	Mid to large enterprise, education, and government departments
Hardware Specifications			
0/100/1000 Interfaces (Copper, RJ45)	4	4	4
SFP Gigabit Ethernet Interface	-	-	2
SFP+ 10 Gigabit Ethernet Interface	-	-	-
Redundant Hot Swappable Power Supplies	No	No	Yes
Storage	1× 1TB	2× 1 TB	2× 2 TB (2× 2 TB Optional)
RAID Storage Management	No	Software 0, 1	Hardware 0, 1, 5, 10, Hot Spare (Based on Drive Count)
Form Factor	Rack Mount, 1U	Rack Mount, 1U	Rack Mount, 1U
Frusted Platform Module (TPM)	Yes	Yes	Yes
ower Supply	Single	Single (Dual Optional)	Dual
Viatora Cunsifications			
System Specifications Protected Email Domains*	20	70	500
Recipient-based Policies (per Domain / per System) – Incoming or Outgoing	60 / 300	400 / 1500	600 / 2000
Server Mode Mailboxes	150	400	1500
Intispam, Antivirus, Authentication, and Content Profiles (per Domain / per System)	50 / 60	50 / 200	50 / 400
Oata Loss Prevention	No	Yes	Yes
entralized Quarantine	No	Yes	Yes
Aicrosoft 365 and Google Gsuite Email API Integration	No	Optional	Optional
Performance (Messages/Hour) [Without queuing based on	100 KB message size]		
mail Routing (per hour)**	50 K	250 K	800 K
FortiGuard Antispam + Virus Outbreak (per hour)**	40 K	200 K	500 K
ortiGuard Enterprise ATP (per hour)**	30 K	150 K	400 K
Cloud API Performance (Messages/Hour) [Without queuing	n hased on 100 KR message sizel		
mail Routing (per hour)**	18 K	83 K	241 K
fortiGuard Antispam + Virus Outbreak (per hour)**	14 K	72 K	170 K
ortiGuard Enterprise ATP (per hour)**	12 K	58 K	148 K
Dimensions	12 13	30 K	140 K
Height x Width x Length (inches)	1.73 × 17.24 × 16.61	1.73 × 17.24 × 16.38	1.75 × 17.00 × 27.61
leight x Width x Length (mm)	44 × 438 × 422	44 × 438 × 416	44 × 438 × 701
Veight	11.9 lbs (5.4 kg)	25.0 lbs (11.0kg)	33.1 lbs (15.00 kg)
-	11.3 IDS (3.4 Kg)	23.0 IDS (11.0Kg)	55.1 lb5 (15.00 kg)
invironment			
Power Source	100-240V AC, 50-60 Hz	100-240V AC, 50-60 Hz	100-240V AC, 50-60 Hz
Maximum Current	100V / 3A, 240V / 1.5A	100V / 5A, 240V / 3A	100V / 5A, 240V / 2.5A
Maximum Power Required	62 W	113 W	190 W
ower Consumption (Average)	51 W	77 W	174 W
leat Dissipation	245 BTU/h	418 BTU/h	681 BTU/h
orced Airflow	Front to back	Front to back	Front to back
lumidity	5% to 90% non-condensing	5% to 90% non-condensing	5% to 90% non-condensing
perating Temperature	32°F to 104°F (0°C to 40°C)	32°F to 104°F (0°C to 40°C)	32°F to 104°F (0°C to 40°C)
torage Temperature	-4°F to 158°F (-20°C to 70°C)	-4°F to 158°F (-20°C to 70°C)	-4°F to 158°F (-20°C to 70°C)
Compliance			
	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB, RoHS	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB, BSMI, RoHS	FCC Part 15 Class A, RCM, VCCI, CE UL/cUL, CB, BSMI, RoHS
Certification			
	VBSpam and VB100 rated, Common Criteria NDPP, FIPS 140-2 Compliant	VBSpam and VB100 rated, Common Criteria NDPP, FIPS 140-2 Compliant	VBSpam and VB100 rated, Common Criteria NDPP, FIPS 140-2 Compliant

Protected Email Domains is the total number of email domains that can be configured on the appliance.
 Domain Associations can be used to enable additional domains which share configuration with the primary domain to which they are assigned.
 Advanced management license increases the protected domain limit by 50%.

^{**} Tested using FortiMail 7.0



Specifications

	FORTIMAIL 2000F	FORTIMAIL 3000F
ecommended Deployment Scenarios		
	Large enterprise, education, and government departments	Highest performing appliance for the largest corporate university, ISP, and carriers
lardware Specifications		
0/100/1000 Interfaces (Copper, RJ45)	4	4
FP Gigabit Ethernet Interface	2	2
FP+ 10 Gigabit Ethernet Interface	-	2
edundant Hot Swappable Power Supplies	Yes	Yes
torage	2× 2 TB SAS (6× 2 TB Optional)	2× 2 TB (10× 2 TB Optional)
AID Storage Management	Hardware; 1, 5, 10, 50, Hot Spare (Based on drive count)	Hardware; 1, 5, 10, 50, Hot Spare (Based on drive coun
orm Factor	Rack Mount, 2U	Rack Mount, 2U
rusted Platform Module (TPM)	Yes	Yes
ower Supply	Dual	Dual
ystem Specification		
rotected Email Domains*	1000	2000
ecipient-Based Policies (per Domain / per System) —	800 / 3000	1500 / 7500
coming or Outgoing	200	
erver Mode Mailboxes	2000	3000
ntispam, Antivirus, Authentication, and Content Profiles per Domain / per System)	50 / 400	50 / 600
ata Loss Prevention	Yes	Yes
entralized Quarantine	Yes	Yes
licrosoft 365 and Google Gsuite Email API Integration	Optional	Optional
erformance (Messages/Hour) [Without queuing based on	100 KB message size]	
mail Routing (per hour)**	1.6 Million	3.5 Million
ortiGuard Antispam + Virus Outbreak (per hour)**	1.1 Million	2.6 Million
ortiGuard Enterprise ATP (per hour)**	800 K	2.1 Million
cloud API Performance (Messages/Hour) [Without queuing	based on 100 KB message size]	
mail Routing (per hour)**	372 K	705 K
ortiGuard Antispam + Virus Outbreak (per hour)**	280 K	560 K
ortiGuard Enterprise ATP (per hour)**	233 K	465 K
imensions	250 1.	
leight x Width x Length (inches)	3.5 × 17.2 × 25.5	3.5 × 17.2 × 25.5
leight x Width x Length (mm)	89 × 437 × 647	89 × 437 × 647
/eight	32 lbs (14.5 kg)	40.0 lbs (18.2 kg)
nvironment	100 0407/40 50 00 77	400 0400/40 50 000
ower Source	100–240V AC, 50–60 Hz	100–240V AC, 50–60 Hz
laximum Current	10.0A / 110V, 3.5A / 240V	9.8A / 110V, 4.9A / 220V
laximum Power Required	219 W	379 W
ower Consumption (Average)	189 W	348 W
leat Dissipation	781 BTU/h	1325 BTU/h
orced Airflow	Front to back	Front to back
lumidity	8% to 90% non-condensing	8% to 90% non-condensing
perating Temperature	41°F to 95°F (5°C to 35°C)	50°F to 95°F (10°C to 35°C)
torage Temperature	-40°F to 140°F (-40°C to 60°C)	-40°F to 158°F (-40°C to 70°C)
compliance		
	FCC Part 15 Class A, RCM, VCCI,	FCC Part 15 Class A, RCM, VCCI,
	CE, UL/cUL, CB, BSMI, RoHS	CE, UL/cUL, CB, BSMI, RoHS
Pertification		
	VBSpam and VB100 rated, Common Criteria NDPP, FIPS 140-2	VBSpam and VB100 rated, NDPP,
	Compliant	FIPS 140-2 Compliant

^{*} Protected Email Domains is the total number of email domains that can be configured on the appliance.

Domain Associations can be used to enable additional domains which share configuration with the primary domain to which they are assigned.

Advanced management license increases the protected domain limit by 50%.

^{**} Tested using FortiMail 7.0



Specifications

Technical Specifications for FortiMail Virtual Appliances	VM01	VM02	VM04	VM08	VM16	VM32
Recommended Deployment Scenarios *						
	Small businesses, branch offices, and organizations	Small to midsized organizations	Mid to large enterprise	Large enterprise	Large enterprise	Large enterprise
echnical Specifications						
lypervisors Supported		SX/ESXi 6.0 and later, Citr VM qemu 2.12.1 and later	, AWS (Amazon Web S	· ·	, ,	
Maximum Virtual CPUs Supported	1	2	4	8	16	32
/irtual NICs Required (Minimum/Maximum)	1 / 4	1 / 4	1 / 6	1 / 6	1 / 6	1 / 6
/irtual Machine Storage Required Minimum/Maximum) ****	250 GB / 1 TB	250 GB / 2 TB	250 GB / 4 TB	250 GB / 8 TB	250 GB / 12 TB	250 GB / 24 TB
/irtual Machine Memory Required Minimum/Maximum)	2 GB / 4 GB	2 GB / 8 GB	4 GB / 16 GB	4 GB / 64 GB	4 GB / 128 GB	4 GB / 128 GB
Performance (Messages/Hour) [Without queu	ing based on 100 KB me	ssage size] ****				
mail Routing (per hour) **	34 K	67 K	306 K	675 K	875 K	1.2 M
ortiGuard Antispam + Virus Outbreak per hour) **	30 K	54 K	279 K	630 K	817 K	1.1 M
FortiGuard Enterprise ATP (per hour) **	26 K	52 K	225 K	585 K	758 K	1.0 M
Cloud API Performance (Messages/Hour) [Wi	thout queuing based on	100 KB message size] *	***			
mail Routing (per hour) **	N/A	23 K	110 K	295 K	495 K	940 K
ortiGuard Antispam + Virus Outbreak per hour) **	N/A	18 K	96 K	226 K	383 K	740 K
ortiGuard Enterprise ATP (per hour) **	N/A	16 K	75 K	197 K	311 K	620 K
System Specifications						
Protected Email Domains *****	20	70	500	1000	1500	2000
Recipient-Based Policies (Domain / System) Incoming or Outgoing	60 /300	400 / 1500	800 / 3000	800 / 3000	1500 / 7500	1500 / 7500
Server Mode Mailboxes	150	400	1500	2000	3000	3000
Antispam, Antivirus, Authentication, and Content Profiles (per Domain / per System)	50 / 60	50 / 200	50 / 400	50 / 400	50 / 600	50 / 600
Data Loss Prevention	No	Yes	Yes	Yes	Yes	Yes
Centralized Quarantine	No	Yes	Yes	Yes	Yes	Yes
Microsoft 365 and Google Gsuite Email API ntegration	No	Optional	Optional	Optional	Optional	Optional

 $Recommended\ sizing\ for\ Gateway\ and\ Transparent\ deployments.\ For\ Server\ Mode,\ see\ Server\ Mode\ Mailbox\ metric.$

If unsure, please validate the model selection by checking the peak mail flow rates and average message size detail with a FortiMail specialist.



FortiMail 7.0.1 has been validated on Nutanix AHV 20201105.2096 and AOS 5.20.1.1.

Transparent mode deployment is not fully supported on Microsoft HyperV and cloud hypervisors due to limitations in the available network configurations.

For the initial VM setup, 250GB is required to install the default Fortinet OVF file. After deployment, the default OVF file can be deleted and the disk space set no less than 50 GB.

^{****} Hardware dependent. Indicative figures based on a VMWare 6.0 system utilizing 2x Intel Xeon E5-2620 v4 @ 2.10 GHz restricted to the specified number of cores.

^{*****} Protected Email Domains is the total number of email domains that can be configured on the appliance.

Domain Associations can be used to enable additional domains which share configuration with the primary domain to which they are assigned.

Advanced management license increases the protected domain limit by 50%.

Order Information


For information on ordering, please talk with your Fortinet account manager, or refer to the Ordering Guide for a full list of FortiMail-related SKUs and pricing information.

E - 174 7 B - 1 - 1	01/11			
FortiMail Product	SKU	Description		
FortiMail 200F	FML-200F	Email Security Appliance — 4x GE RJ45 ports, 1 TB storage		
FortiMail 400F	FML-400F	Email Security Appliance — 4x GE RJ45 ports, 2 TB storage		
FortiMail 900F	FML-900F	Email Security Appliance — 4x GE RJ45 ports, 2x GE SFP slots, dual AC power supplies, 4 TB default storage		
FortiMail 2000F	FML-2000F	Email Security Appliance — 4x GE RJ45 ports, 2x GE SFP slots, dual AC power supplies, 4 TB default storage		
FortiMail 3000F	FML-3000F	Email Security Appliance — 4x GE RJ45 ports, 2× 10 GE SFP+ slots, 2x GE SFP slots, dual AC power supplies, 4 TB default storage		
FortiMail VM				
FortiMail VM01	FML-VM01	FortiMail-VM virtual appliance for VMware ESX/ESXi, Microsoft Hyper-V, Citrix XenServer and KVM virtualization platforms. 1x vCPU core		
FortiMail VM02	FML-VM02	FortiMail-VM virtual appliance for VMware ESX/ESXi, Microsoft Hyper-V, Citrix XenServer and KVM virtualization platforms. 2x vCPU cores		
FortiMail VM04	FML-VM04	FortiMail-VM virtual appliance for VMware ESX/ESXi, Microsoft Hyper-V, Citrix XenServer and KVM virtualization platforms. 4x vCPU cores		
FortiMail VM08	FML-VM08	FortiMail-VM virtual appliance for VMware ESX/ESXi, Microsoft Hyper-V, Citrix XenServer and KVM virtualization platforms. 8x vCPU cores		
FortiMail VM16	FML-VM16	FortiMail-VM virtual appliance for VMware ESX/ESXi, Microsoft Hyper-V, Citrix XenServer and KVM virtualization platforms. 16x vCPU cores		
FortiMail VM32	FML-VM32	FortiMail-VM virtual appliance for VMware ESX/ESXi, Microsoft Hyper-V, Citrix XenServer and KVM virtualization platforms. 32x vCPU cores		
Accessories				
Power Supply	SP-FAD700-PS	AC power supply for FML-400E		
Power Supply	SP-FML900F-PS	AC power supply for FML-400F and FML-900F		
Power Supply	SP-FML2000F-PS	AC power supply for FML-2000F		
Power Supply	SP-FML3000F-PS	AC power supply for FML-3000F and FML-3200F		
Hard Drive	SP-D2TE	2 TB 3.5" SAS hard drive with tray for FML-2000F, FML-3000F and FML-3200F		
Hard Drive	SP-FML900F-HDD	2 TB 3.5" SATA hard drive with tray for FML-900F		
Service and Support				
Appliances - Hardware plus 24×7 FortiCare and FortiGuard Base Bundle				
Appliances - Hardware plus 24×7 FortiCare and FortiGuard Enterprise ATP Bundle				
Virtual Machines - 24×7 FortiCare and FortiGuard Base Bundle Contract				
Virtual Machines - 24×7 FortiCare and FortiGuard Enterprise ATP Bundle Contract				
Microsoft 365 and Google Gsuite Email API Integration Service				
Add-on Capabilities				
Dynamic Adult Image Analysis Service				
Email Continuity				
For Service Providers and Enterprises				
Advanced Administ	Advanced Administration License for MSSPs and Enterprises requiring multi-tenancy and additional features			



Fortinet Corporate Social Responsibility Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.





www.fortinet.com

Copyright © 2024 Fortinet, Inc. All rights reserved. Fortinet*, FortiGate*, FortiCare* and FortiGate*, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results. May vary. Network variables, different network environments and other conditions may affect performance results. Nothing perine interpressions that by hording commitment by Fortinet, and Fortineties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed of the publication without twill perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinets internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.