

FortiGate 3300E Series



Highlights

Gartner® Magic
Quadrant™ Leaders for
both Network Firewalls
and SD-WAN

Secure networking with FortiOS for converged networking and security

Unparalleled performance with
Fortinet's patented SPU
and vSPU processors

Enterprise security with consolidated AI / ML-powered FortiGuard services

Hyperscale security to secure any edge at any scale

High Performance with Flexibility

The FortiGate 3300E Series enables organizations to build security-driven networks, forming the foundation of a robust Hybrid Mesh Firewall architecture. This approach weaves security deep into their datacenter and across their hybrid IT environment, protecting any edge at any scale.

Powered by a rich set of Al/ML-based FortiGuard Services and an integrated security fabric platform, the FortiGate 3300E Series delivers coordinated, automated, end-to-end threat protection across all use cases. The industry's first integrated Zero Trust Network Access (ZTNA) enforcement within an NGFW solution, FortiGate 3300E automatically controls, verifies, and facilitates user access to applications, delivering consistent convergence with a seamless user experience across your distributed network.

The industry's first integrated zero-trust network access (ZTNA) enforcement within an NGFW solution, the FortiGate 3300E automatically controls, verifies, and facilitates user access to applications, reducing lateral threats by providing access only to validated users for seamless user experience.

| IPS | NGFW | Threat Protection | Interfaces |
|---------|---------|-------------------|---|
| 27 Gbps | 23 Gbps | 17 Gbps | Multiple GE RJ45, 25 GE SFP28 / 10 GE SFP+ / GE SFP and 40 GE QSFP+ slots |

Use Cases

Next Generation Firewall (NGFW)



- FortiGuard Labs' suite of Al-Powered Security Services, natively integrated with your NGFW, secures web, content, and devices and protects networks from ransomware, malware, zero days, and sophisticated Al-powered cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU technology provides industry-leading high-performance protection

Segmentation



- Dynamic segmentation adapts to any network topology to deliver true end-to-end security from the branch to the data center and across multi-cloud environments
- Ultra-scalable, low latency, VXLAN segmentation bridges physical and virtual domains with Layer 4 firewall rules
- Prevents lateral movement across the network with advanced, coordinated protection from FortiGuard Security Services, detects and prevents known, zero-day, and unknown attacks

Secure SD-WAN



- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for hybrid working models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and selfhealing

Mobile Security for 4G, 5G, and IoT



- SPU-accelerated, high-performance CGNAT and IPv6 migration options, including: NAT44, NAT444, NAT64/DNS64, NAT46 for 4G Gi/sGi, and 5G N6 connectivity and security
- Radio access network security with highly scalable and highest-performing IPsec aggregation and control security gateway
- User plane security enabled by full threat protection and visibility into GTP-U inspection





FortiGuard Al-Powered Security Services

FortiGuard Al-Powered Security Services is part of Fortinet's layered defense and tightly integrated into our FortiGate NGFWs and other products. Infused with the latest threat intelligence from FortiGuard Labs, these services protect organizations against modern attack vectors and threats, including zero-day and sophisticated Al-powered attacks.

Network and file security

Network and file security services protect against network and file-based threats. With over 18,000 signatures, our industry-leading intrusion prevention system (IPS) uses AI/ML models for deep packet/SSL inspection, detecting and blocking malicious content, and applying virtual patches for newly discovered vulnerabilities. Anti-malware protection defends against both known and unknown file-based threats, combining antivirus and sandboxing for multi-layered security. Application control improves security compliance and provides real-time visibility into applications and usage.

Web/DNS security

Web/DNS security services protect against DNS-based attacks, malicious URLs (including those in emails), and botnet communications. DNS filtering blocks the full spectrum of DNS-based attacks while URL filtering uses a database of over 300 million URLs to identify and block malicious links. Meanwhile, IP reputation and anti-botnet services guard against botnet activity and DDoS attacks. FortiGuard Labs blocks over 500 million malicious/phishing/ spam URLs weekly, and blocks 32,000 botnet command-and-control attempts every minute, demonstrating the robust protection offered through Fortinet.

SaaS and data security

SaaS and data security services cover key security needs for application use and data protection. This includes data loss prevention to ensure visibility, management, and protection (blocking exfiltration) of data in motion across networks, clouds, and users. Our inline cloud access security broker service protects data in motion, at rest, and in the cloud, enforcing compliance standards and managing account, user, and cloud app usage. Services also assess infrastructure, validate configurations, and highlight risks and vulnerabilities, including IoT device detection and vulnerability correlation.

Zero-Day threat prevention

Zero-day threat prevention is achieved through Al-powered inline malware prevention to analyze file content to identify and block unknown malware in real time, delivering sub-second protection across all NGFWs. The service also integrates the MITRE ATT&CK matrix to speed up investigations. Integrated into FortiGate NGFWs, the service provides comprehensive defense by blocking unknown threats, streamlining incident response, and reducing security overhead.

OT security

With over 1000 virtual patches, 1100+ OT applications, and 3300+ protocol rules, integrated OT security capabilities detect threats targeting OT infrastructure, perform vulnerability correlation, apply virtual patching, and utilize industry-specific protocol decoders for robust defense of OT environments and devices.





Available in



Appliance



Virtua



Hosted



Cloud



FortiOS Everywhere

FortiOS, Fortinet's Real-Time Network Security Operating System

FortiOS is the operating system that powers Fortinet Security Fabric platform, enabling enforcement of security policies and holistic visibility across the entire attack surface. FortiOS provides a unified framework for managing and securing networks, cloud-based, hybrid, or a convergence of IT, OT, and IoT. FortiOS enables seamless and efficient interoperation across Fortinet products with consistent and consolidated Al-powered protection across today's hybrid environments.

Unlike traditional point solutions, Fortinet adopts a holistic approach to cybersecurity, aiming to reduce complexities, eliminate security silos, and improve operational efficiencies. By consolidating security functions into a single platform, FortiOS simplifies management, reduces costs, and enhances overall security posture. Together, FortiGate and FortiOS create intelligent, adaptive protection to help organizations reduce complexity, eliminate security silos, and optimize user experience.

By integrating generative AI (GenAI), FortiOS further enhances the ability to analyze network traffic and threat intelligence, detects deviations or anomalies more effectively, and provides more precise remediation recommendations, ensuring minimum performance impact without compromising security.

Learn more about what's new in FortiOS. https://www.fortinet.com/products/fortigate/fortios



Intuitive easy to use view into the network and endpoint vulnerabilities



Comprehensive view of network performance, security, and system status



Fortinet ASICs: Unrivaled Security, Unprecedented Performance

ASIC

Powered by the only purpose-built SPU

Traditional firewalls cannot protect against today's content and connection-based threats because they rely on off-the-shelf general-purpose central processing units (CPUs), leaving a dangerous security gap. Fortinet's custom SPUs deliver the power you need to radically increase speed, scale, and efficiency while greatly improving user experience and reducing footprint and power requirements. Fortinet's SPUs deliver up to 520 Gbps of protected throughput to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

Fortinet ASICs are designed to be energy-efficient, leading to lower power consumption and improved TCO. They deliver industry-leading throughput, handle more traffic and perform security inspections faster, reduce latency for quicker packet processing and minimize network delays.

Fortinet SPUs are designed with integrated security functions like zero trust, SSL, IPS, and VXLAN to name but a few, dramatically improving the performance of these functions that competitors traditionally implement in software.

Network processor NP6

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency
- VPN, CAPWAP, and IP tunnel acceleration
- · Anomaly-based intrusion prevention, checksum offload, and packet defragmentation
- Traffic shaping and priority queuing

Content processor CP9

Content processors act as co-processors to offload resource-intensive processing of security functions. The ninth generation of the Fortinet Content Processor, the CP9, accelerates resource-intensive SSL (including TLS 1.3) decryption and security functions while delivering:

- Pattern matching acceleration and fast inspection of real-time traffic for application identification
- IPS pre-scan/pre-match, signature correlation offload, and accelerated antivirus processing




FortiManager



Centralized management at scale for distributed enterprises

FortiManager, powered by FortiAI, is a centralized management solution for the Fortinet Security Fabric. It streamlines mass provisioning and policy management for FortiGate, FortiGate VM, cloud security, SD-WAN, SD-Branch, FortiSASE, and ZTNA in hybrid environments. Additionally, FortiManager provides real-time monitoring of the entire managed infrastructure and automates network operation workflows. Leveraging GenAI in FortiAI, it further enhances Day 0–1 configurations and provisioning, and Day N troubleshooting and maintenance, unlocking the full potential of the Fortinet Security Fabric and significantly boosting operational efficiency.



GenAl in FortiManager helps manage networks effortlessly—generates configuration and policy scripts, troubleshoots issues, and executes recommended actions.

FortiConverter Service



Migration to FortiGate NGFW made easy

The FortiConverter Service provides hassle-free migration to help organizations transition quickly and easily from a wide range of legacy firewalls to FortiGate NGFWs. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.

FortiCare Services




Expertise at your service


Fortinet prioritizes customer success through FortiCare Services, optimizing the Fortinet Security Fabric solution. Our comprehensive life-cycle services include Design, Deploy, Operate, Optimize, and Evolve. The FortiCare Elite, one of the service offerings, provides heightened SLAs and swift issue resolution with a dedicated support team. This advanced support option includes an extended end-of-engineering support of 18 months, providing flexibility and access to the intuitive FortiCare Elite portal for a unified view of device and security health, streamlining operational efficiency and maximizing Fortinet deployment performance.



Hardware

FortiGate 3300E Series






Interfaces

- 1. 1 x USB Management Port
- 2. 1 x Console Port
- 3. 2 x GE RJ45 MGMT Ports
- **4.** 12 x GE RJ45 Ports
- **5.** 4 × 10 GE RJ45 Ports
- 6. 14 × 25 GE SFP28 / 10 GE SFP+ / GE SFP Slots
- 7. 2×25 GE SFP28 / 10 GE SFP+ / GE SFP HA Slots
- 8. 4 × 40 GE QSFP+ Slots

Hardware Features



High-Speed Connectivity

High-speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 3300E Series provides high speed interfaces, simplifying network designs without relying on additional devices to bridge desired connectivity.



Specifications

| | FG-3300E FG-3301E | | |
|--|---|--|--|
| Interfaces and Modules | | | |
| 40 GE QSFP+ Slots | 4 | | |
| 25 GE SFP28 / 10 GE SFP+ / GE SFP HA Slots | 2 | | |
| 25 GE SFP28 / 10 GE SFP+ / GE SFP Slots | 14 | | |
| 10 GE RJ45 Ports | 4 | | |
| GE RJ45 Ports | 12 | | |
| GE RJ45 Management/HA Ports | 2 | | |
| USB Ports (Client / Server) | 1/1 | | |
| Console Port | 1 | | |
| Internal Storage | - 2×1 TB SSD | | |
| Included Transceivers | 2x SFP+ (SR 10 GE) | | |
| System Performance — Enterprise Traffic Mix | | | |
| IPS Throughput ² | 27 Gbps | | |
| NGFW Throughput ^{2, 4} | 23 Gbps | | |
| Threat Protection Throughput ^{2, 5} | 17 Gbps | | |
| System Performance and Capacity | | | |
| Firewall Throughput (1518 / 512 / 64 byte, UDP) | 160 / 158 / 100 Gbps | | |
| IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP) | 160 / 158 / 100 Gbps | | |
| Firewall Latency (64 byte, UDP) | 3.17 µs | | |
| Firewall Throughput (Packet per Second) | 150 Mpps | | |
| Concurrent Sessions (TCP) | 50 Million | | |
| New Sessions/Second (TCP) | 700 000 | | |
| Firewall Policies | 200 000 | | |
| IPsec VPN Throughput (512 byte) 1 | 98 Gbps | | |
| Gateway-to-Gateway IPsec VPN Tunnels | 40 000 | | |
| Client-to-Gateway IPsec VPN Tunnels | 200 000 | | |
| SSL-VPN Throughput | 10 Gbps | | |
| Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode) | 30 000 | | |
| SSL Inspection Throughput (IPS, avg. HTTPS) ³ | 21 Gbps | | |
| SSL Inspection CPS (IPS, avg. HTTPS) ³ | 11 000 | | |
| SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ | 4 Million | | |
| Application Control Throughput (HTTP 64K) ² | 70 Gbps | | |
| CAPWAP Throughput (HTTP 64K) | 55 Gbps | | |
| Virtual Domains (Default / Maximum) | 10 / 500 | | |
| Maximum Number of FortiSwitches Supported | 300 | | |
| Maximum Number of FortiAPs (Total / Tunnel Mode) | 4096 / 2048 | | |
| Maximum Number of FortiTokens | 20 000 | | |
| High Availability Configurations | Active-Active, Active-Passive, Clustering | | |

| | FG-3300E | FG-3301E | | |
|---|---|-----------------------|--|--|
| Dimensions and Power | | | | |
| Height x Width x Length (inches) | 3.5 × 17.4 | 4 × 21.89 | | |
| Height x Width x Length (mm) | 88.9 × 443 × 556 | | | |
| Weight | 42.9 lbs (19.5 kg) | 44.3 lbs (20.1 kg) | | |
| Form Factor (supports EIA/non-EIA standards) | Rack Mount, 2 RU | | | |
| AC Power Supply | er Supply 100–240V AC, 60–50 Hz | | | |
| Power Consumption (Average / Maximum) | 492 W / 610 W | 496 W / 617 W | | |
| Maximum Current | 12@100V, 9A@240V | | | |
| Heat Dissipation | 2097 BTU/h | 2105 BTU/h | | |
| Redundant Power Supplies (Hot Swappable) | Yes (Default dual AC PSU for 1+1 Redundanc | | | |
| Power Supply Efficiency Rating | 80Plus Compliant | | | |
| Operating Environment and Certifications | | | | |
| Operating Temperature | 32°F to 104°F (0°C to 40°C) | | | |
| Storage Temperature | -31°F to 158°F (-35°C to 70°C) | | | |
| Humidity | 10% to 90% non-condensing | | | |
| Noise Level | 70 dBA | | | |
| Forced Airflow | Front to Back | | | |
| Operating Altitude | Up to 7400 ft (2250 m) | | | |
| ompliance FCC Part 15 Class A, RCM, UL/cUL, CB | | | | |
| Certifications | USGv | 6/IPv6 | | |

Note: All performance values are "up to" and vary depending on system configuration.



¹ IPsec VPN performance test uses AES256-SHA256.

 $^{^{\}rm 2}$ IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

 $^{^{\}rm 3}$ SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

⁴ NGFW performance is measured with Firewall, IPS and Application Control enabled.

⁵ Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

Subscriptions

| | | | Bundles | | |
|----------------------------------|---|--------------------------------------|--------------------------|------------------------------|-------------------------------|
| Service Category | Service Offering | A-la-carte | Enterprise Protection | Unified Threat Protection | Advanced Threat Protection |
| FortiGuard Security Services | IPS — IPS, Malicious/Botnet URLs | • | • | • | • |
| | Anti-Malware Protection (AMP)—AV, Botnet Domains, Mobile Malware, Virus Outbreak Protection, Content Disarm and Reconstruct ³ , Al-based Heurestic AV, FortiGate Cloud Sandbox | • | • | • | • |
| | URL, DNS and Video Filtering — URL, DNS and Video ³ Filtering, Malicious Certificate | • | • | • | |
| | Anti-Spam | | • | • | |
| | Al-based Inline Malware Prevention ³ | • | • | | |
| | Data Loss Prevention (DLP) ¹ | • | • | | |
| | Attack Surface Security — IoT Device Detection, IoT Vulnerability Correlation and Virtual Patching, Security Rating, Outbreak Check | • | • | | |
| | OT Security—OT Device Detection, OT vulnerability correlation and Virtual Patching, OT Application Control and IPS 1 | • | | | |
| | Application Control | | includ | ed with FortiCare Subs | cription |
| | Inline CASB ³ | | includ | ed with FortiCare Subs | cription |
| SD-WAN and SASE Services | SD-WAN Underlay Bandwidth and Quality Monitoring | Models up to FG/ FWF-60F series | | | |
| | SD-WAN Underlay and Application Monitoring Service | FG-70F series and above | | | |
| | SD-WAN Overlay-as-a-Service | • | | | |
| | SD-WAN Connector for FortiSASE Secure Private Access | • | | | |
| | SASE expansion for SD-WAN (SD-WAN SPA Connector license plus FortiSASE starter kit for n* users) $^{\rm 2}$ | Selected models only ² | | | |
| | SASE connector for FortiSASE Secure Edge Management (with 10Mbps Bandwidth) | Desktop models only | | | |
| NOC and SOC Services | FortiConverter Service for one time configuration conversion | • | • | | |
| Services | Managed FortiGate Service—available 24×7, with Fortinet NOC experts performing device setup, network, and policy change management | • | | | |
| | FortiGate Cloud—Management, Analysis, and One Year Log Retention | • | | | |
| | FortiManager Cloud | • | | | |
| | FortiAnalyzer Cloud | • | | | |
| | FortiGuard SOCaaS—24×7 cloud-based managed log monitoring, incident triage, and SOC escalation service | • | | | |
| Hardware and Software Support | FortiCare Essentials | Desktop models only | | | |
| | FortiCare Premium | • | • | • | • |
| | FortiCare Elite | • | | | |
| Base Services | Device/OS Detection, GeoIPs, Trusted CA Certificates, Internet Services and Botnet IPs, DDNS (v4/v6), Local Protection, PSIRT Check, Anti-Phishing | | includ | ed with FortiCare Subs | cription |

- 1. Full features available when running FortiOS 7.4.1.
- 2. See the FortiSASE Ordering Guide for supported models and their associated number of user licenses.
- 3. Not available for FortiGate/FortiWiFi 40F, 60E, 60F, 80E, and 90E series from 7.4.4 onwards. Not available for FortiGate/FortiWiFi 30G and 50G series in any OS build.



FortiGuard Bundles

FortiGuard Al-Powered Security Bundles provide a comprehensive and meticulously curated selection of security services to combat known, unknown, zero-day, and emerging Al-based threats. These services are designed to prevent malicious content from breaching your defenses, protect against web-based threats, secure devices throughout IT/OT/IoT environments, and ensure the safety of applications, users, and data. All bundles include FortiCare Premium Services featuring 24×7×365 availability, one-hour response for critical issues, and next-business-day response for noncritical matters.



Ordering Information


| Product | SKU | Description |
|--|----------------------|---|
| FortiGate 3300E | FG-3300E | $4\times$ 40 GE QSFP+ slots, 16× 25 GE SFP28 slots (including 14x ports, 2x HA ports), 14x GE RJ45 ports (including 12x ports, 2x management ports), $4\times$ 10GBase-T ports, SPU NP6 and CP9 hardware accelerated, and dual AC power supplies. |
| FortiGate 3301E | FG-3301E | $4\times$ 40 GE QSFP+ slots, $16\times$ 25 GE SFP28 slots (including 14x ports, $2x$ HA ports), $14x$ GE RJ45 ports (including 12x ports, $2x$ management ports), $4\times$ 10GBase-T ports, SPU NP6 and CP9 hardware accelerated, and dual AC power supplies, with $2\times$ 1 TB SSD onboard storage. |
| Optional Accessories | | |
| Rack Mount Sliding Rails | SP-FG3040B-RAIL | Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3400/3401E, FG-3600/3601E, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC and FG-3950B/-DC. |
| AC Power Supply | SP-FG3800D-PS | AC power supply for FG-2200/2201E, FG-3300/3301E, FG-3400/3401E, FG-3600/3601E, FG-3700D, FG-3700D-NEBS, FG-3700DX, FG-3810D and FG-3815D. |
| Transceivers | | |
| 1 GE SFP RJ45 Transceiver Module | FN-TRAN-GC | 1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots. |
| 1 GE SFP SX Transceiver Module | FN-TRAN-SX | 1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots. |
| 1 GE SFP LX Transceiver Module | FN-TRAN-LX | 1GE SFP LX transceiver module, 10km range, -40C to 85C, over SMF, for all systems with SFP and SFP/ SFP+ slots. |
| 10 GE copper SFP+ RJ45 Transceiver (30m range) | FN-TRAN-SFP+GC | 10GE copper SFP+ RJ45 transceiver module (30m range) for all systems with SFP+ slots. |
| 10 GE SFP+ Transceiver Module, Short Range | FN-TRAN-SFP+SR | 10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots. |
| 10 GE SFP+ Transceiver Module, Long Range | FN-TRAN-SFP+LR | 10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots. |
| 10 GE SFP+ Transceiver Module, Extended Range | FN-TRAN-SFP+ER | 10 GE SFP+ transceiver module, extended range for all systems with SFP+ and SFP/SFP+ slots. |
| 25 GE SFP28 Transceiver Module, Short Range | FN-TRAN-SFP28-SR | 25 GE SFP28 transceiver module, short range for all systems with SFP28 slots. |
| 25 GE SFP28 Transceiver Module, Long Range | FG-TRAN-SFP28-LR | 25 GE SFP28 transceiver module, long range for all systems with SFP28 slots |
| 40 GE QSFP+ Transceiver Module, Short Range | FN-TRAN-QSFP+SR | 40 GE QSFP+ transceiver module, short range for all systems with QSFP+ slots. |
| 40 GE QSFP+ Transceiver Module, Short Range BiDi | FG-TRAN-QSFP+SR-BIDI | 40 GE QSFP+ transceiver module, short range BiDi for all systems with QSFP+ slots. |
| 40 GE QSFP+ Transceiver Module, Long Range | FN-TRAN-QSFP+LR | 40 GE QSFP+ transceiver module, long range for all systems with QSFP+ slots. |
| Cables | | |
| 10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft | SP-CABLE-ADASFP+ | 10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots. |
| 25 GE SFP28 Passive Direct Attach Cable, 1m Range | FN-CABLE-SFP28-1 | 25 GE SFP28 passive direct attach cable, 1m range, for all systems with SFP28 slots. |
| 25 GE SFP28 Passive Direct Attach Cable, 3m Range | FN-CABLE-SFP28-3 | 25 GE SFP28 passive direct attach cable, 3m range, for all systems with SFP28 slots. |
| 25 GE SFP28 Passive Direct Attach Cable, 5m Range | FN-CABLE-SFP28-5 | 25 GE SFP28 passive direct attach cable, 5m range, for all systems with SFP28 slots. |
| 40 GE QSFP+ to 4× 10GE SFP+ Optical Breakout | FG-TRAN-QSFP+4XSFP | 40 GE QSFP+ Parallel Breakout Active Optical Cable with 1m length for all systems with QSFP+ slots. |
| 40 GE QSFP+ to 4xSFP+ Optical breakout 5m | FG-TRAN-QSFP+4SFP-5 | 40 GE QSFP+ Parallel Breakout MPO to 4xLC connectors, 5m reach, transceivers not included. |
| | | |

Visit https://www.fortinet.com/resources/ordering-guides for related ordering guides.



Fortinet Corporate Social Responsibility Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.





www.fortinet.com

Copyright © 2025 Fortinet, Inc. All rights reserved. Fortinet®, FortiQate®, Fo