

# FortiGate 400E Bypass



### **Highlights**

Gartner® Magic Quadrant™ Leaders for both Network Firewalls and WAN Edge Infrastructure

**Secure Networking** with FortiOS for converged networking and security

State-of-the-art unparalleled performance with Fortinet's patented SPU and vSPU processors

Enterprise security
with consolidated AI/
ML-powered FortiGuard
services

**Deep visibility** into applications, users, and devices beyond traditional firewall techniques

### **Artificial Intelligence, Machine Learning Security with Deep Visibility**

The FortiGate 400E-Bypass series next-generation firewall (NGFW) combines artificial intelligence (AI)-powered security and machine learning (ML) to deliver threat protection at any scale. Get deeper visibility into your network and see applications, users, and devices before they become threats.

Powered by a rich set of AI/ML security capabilities that extend into an integrated security fabric platform, the FortiGate 400E Bypass Series delivers secure networking that is broad, deep, and automated. Secure your network end to end with advanced edge protection that includes web, content, and device security, while network segmentation and secure SD-WAN reduce complexity and risk in hybrid IT networks. This security fabric seamlessly extends across your entire environment, including a Hybrid Mesh Firewall architecture, ensuring consistent policy enforcement and threat protection across all network segments.

Universal zero-trust network access (ZTNA) automatically controls, verifies, and facilitates user access to applications, reducing lateral threats by providing access only to validated users. Ultra-fast threat protection and SSL inspection provides security at the edge you can see without impacting performance.

| IPS      | NGFW     | Threat Protection | Interfaces                         |
|----------|----------|-------------------|------------------------------------|
| 6.5 Gbps | 5.5 Gbps | 4 Gbps            | Multiple GE RJ45 bypass port pairs |

### **Use Cases**

### **Next Generation Firewall (NGFW)**



- FortiGuard Labs' suite of Al-Powered Security Services, natively integrated with your NGFW, secures web, content, and devices and protects networks from ransomware, malware, zero days, and sophisticated Al-powered cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU technology provides industry-leading high-performance protection

#### Secure SD-WAN



- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for hybrid working models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and selfhealing

#### **Universal ZTNA**



- Control access to applications no matter where the user is and no matter where the application is hosted for universal application of access policies
- Provide extensive authentications, checks, and enforce policy prior to granting application access every time
- Agent-based access with FortiClient or agentless access via proxy portal for guest or BYOD

### Segmentation



- Dynamic segmentation adapts to any network topology to deliver true end-to-end security from the branch to the data center and across multi-cloud environments
- Ultra-scalable, low latency, VXLAN segmentation bridges physical and virtual domains with Layer 4 firewall rules
- Prevents lateral movement across the network with advanced, coordinated protection from FortiGuard Security Services, detects and prevents known, zero-day, and unknown attacks





### **FortiGuard Al-Powered Security Services**

FortiGuard Al-Powered Security Services is part of Fortinet's layered defense and tightly integrated into our FortiGate NGFWs and other products. Infused with the latest threat intelligence from FortiGuard Labs, these services protect organizations against modern attack vectors and threats, including zero-day and sophisticated Al-powered attacks.

### Network and file security

Network and file security services protect against network and file-based threats. With over 18,000 signatures, our industry-leading intrusion prevention system (IPS) uses AI/ML models for deep packet/SSL inspection, detecting and blocking malicious content, and applying virtual patches for newly discovered vulnerabilities. Anti-malware protection defends against both known and unknown file-based threats, combining antivirus and sandboxing for multi-layered security. Application control improves security compliance and provides real-time visibility into applications and usage.

### Web/DNS security

Web/DNS security services protect against DNS-based attacks, malicious URLs (including those in emails), and botnet communications. DNS filtering blocks the full spectrum of DNS-based attacks while URL filtering uses a database of over 300 million URLs to identify and block malicious links. Meanwhile, IP reputation and anti-botnet services guard against botnet activity and DDoS attacks. FortiGuard Labs blocks over 500 million malicious/phishing/ spam URLs weekly, and blocks 32,000 botnet command-and-control attempts every minute, demonstrating the robust protection offered through Fortinet.

### SaaS and data security

SaaS and data security services cover key security needs for application use and data protection. This includes data loss prevention to ensure visibility, management, and protection (blocking exfiltration) of data in motion across networks, clouds, and users. Our inline cloud access security broker service protects data in motion, at rest, and in the cloud, enforcing compliance standards and managing account, user, and cloud app usage. Services also assess infrastructure, validate configurations, and highlight risks and vulnerabilities, including IoT device detection and vulnerability correlation.

#### Zero-Day threat prevention

Zero-day threat prevention is achieved through Al-powered inline malware prevention to analyze file content to identify and block unknown malware in real time, delivering sub-second protection across all NGFWs. The service also integrates the MITRE ATT&CK matrix to speed up investigations. Integrated into FortiGate NGFWs, the service provides comprehensive defense by blocking unknown threats, streamlining incident response, and reducing security overhead.

### **OT** security

With over 1000 virtual patches, 1100+ OT applications, and 3300+ protocol rules, integrated OT security capabilities detect threats targeting OT infrastructure, perform vulnerability correlation, apply virtual patching, and utilize industry-specific protocol decoders for robust defense of OT environments and devices.





Available in



**Appliance** 



Virtua



Hosted



Cloud



**FortiOS Everywhere** 

### FortiOS, Fortinet's Real-Time Network Security Operating System

FortiOS is the operating system that powers Fortinet Security Fabric platform, enabling enforcement of security policies and holistic visibility across the entire attack surface. FortiOS provides a unified framework for managing and securing networks, cloud-based, hybrid, or a convergence of IT, OT, and IoT. FortiOS enables seamless and efficient interoperation across Fortinet products with consistent and consolidated Al-powered protection across today's hybrid environments.

Unlike traditional point solutions, Fortinet adopts a holistic approach to cybersecurity, aiming to reduce complexities, eliminate security silos, and improve operational efficiencies. By consolidating security functions into a single platform, FortiOS simplifies management, reduces costs, and enhances overall security posture. Together, FortiGate and FortiOS create intelligent, adaptive protection to help organizations reduce complexity, eliminate security silos, and optimize user experience.

By integrating generative AI (GenAI), FortiOS further enhances the ability to analyze network traffic and threat intelligence, detects deviations or anomalies more effectively, and provides more precise remediation recommendations, ensuring minimum performance impact without compromising security.

Learn more about what's new in FortiOS. <a href="https://www.fortinet.com/products/fortigate/fortios">https://www.fortinet.com/products/fortigate/fortios</a>



Intuitive easy to use view into the network and endpoint vulnerabilities



Comprehensive view of network performance, security, and system status



### Fortinet ASICs: Unrivaled Security, Unprecedented Performance



### Powered by the only purpose-built SPU

Traditional firewalls cannot protect against today's content and connection-based threats because they rely on off-the-shelf general-purpose central processing units (CPUs), leaving a dangerous security gap. Fortinet's custom SPUs deliver the power you need to radically increase speed, scale, and efficiency while greatly improving user experience and reducing footprint and power requirements. Fortinet's SPUs deliver up to 520 Gbps of protected throughput to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

Fortinet ASICs are designed to be energy-efficient, leading to lower power consumption and improved TCO. They deliver industry-leading throughput, handle more traffic and perform security inspections faster, reduce latency for quicker packet processing and minimize network delays.

Fortinet SPUs are designed with integrated security functions like zero trust, SSL, IPS, and VXLAN to name but a few, dramatically improving the performance of these functions that competitors traditionally implement in software.

### **Network processor NP6**

Fortinet's new, breakthrough SPU NP6 network processor works in line with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP, and multicast traffic with ultra-low latency
- VPN, CAPWAP, and IP tunnel acceleration
- · Anomaly-based intrusion prevention, checksum offload, and packet defragmentation
- Traffic shaping and priority queuing

### **Content processor CP9**

Content processors act as co-processors to offload resource-intensive processing of security functions. The ninth generation of the Fortinet Content Processor, the CP9, accelerates resource-intensive SSL (including TLS 1.3) decryption and security functions while delivering:

- Pattern matching acceleration and fast inspection of real-time traffic for application identification
- IPS pre-scan/pre-match, signature correlation offload, and accelerated antivirus processing




### **FortiManager**



### Centralized management at scale for distributed enterprises

FortiManager, powered by FortiAl, is a centralized management solution for the Fortinet Security Fabric. It streamlines mass provisioning and policy management for FortiGate, FortiGate VM, cloud security, SD-WAN, SD-Branch, FortiSASE, and ZTNA in hybrid environments. Additionally, FortiManager provides real-time monitoring of the entire managed infrastructure and automates network operation workflows. Leveraging GenAl in FortiAl, it further enhances Day 0–1 configurations and provisioning, and Day N troubleshooting and maintenance, unlocking the full potential of the Fortinet Security Fabric and significantly boosting operational efficiency.



GenAl in FortiManager helps manage networks effortlessly—generates configuration and policy scripts, troubleshoots issues, and executes recommended actions.

### **FortiConverter Service**



### Migration to FortiGate NGFW made easy

The FortiConverter Service provides hassle-free migration to help organizations transition quickly and easily from a wide range of legacy firewalls to FortiGate NGFWs. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.

### **FortiCare Services**




### Expertise at your service

Fortinet prioritizes customer success through FortiCare Services, optimizing the Fortinet Security Fabric solution. Our comprehensive life-cycle services include Design, Deploy, Operate, Optimize, and Evolve. The FortiCare Elite, one of the service offerings, provides heightened SLAs and swift issue resolution with a dedicated support team. This advanced support option includes an extended end-of-engineering support of 18 months, providing flexibility and access to the intuitive FortiCare Elite portal for a unified view of device and security health, streamlining operational efficiency and maximizing Fortinet deployment performance.



### **Hardware**

### FortiGate 400E Bypass



#### Interfaces

- 1. 2 x USB Ports
- 2. 1 x Console Port
- 3. 2 x GE RJ45 MGMT/HA Ports
- 4. 16 x GE RJ45 Bypass Port Pairs


#### **Hardware Features**





### **Dual power supply**

Power supply redundancy is essential in the operation of mission-critical networks. The FortiGate 400E-Bypass series offers dual built-in non-hot swappable power supplies.





FortiLink protocol enables you to converge security and network access by integrating the FortiSwitch into the FortiGate as a logical extension of the firewall. These FortiLink-enabled ports can be reconfigured as regular ports as needed.



## **Specifications**

|  | FORTIGATE 400E-BYPASS                     |  |  |
|--|---|--|--|
| Interfaces and Modules   | TOKTIONIE 400E BITAGO                     |  |  |
| GE RJ45 Bypass port pairs  | 32  |  |  |
| (16 bypass pairs)  | 32  |  |  |
| GE RJ45 Management/ HA Ports                                     | 2   |  |  |
| USB Ports  | 2   |  |  |
| RJ45 Console Port  | 1   |  |  |
| ${\bf System\ Performance-Enterprise\ Traffic\ Mix}$             |   |  |  |
| IPS Throughput <sup>2</sup>                                      | 6.5 Gbps                                  |  |  |
| NGFW Throughput <sup>2, 4</sup>                                  | 5.5 Gbps                                  |  |  |
| Threat Protection Throughput 2,5                                 | 4 Gbps                                    |  |  |
| System Performance and Capacity                                  |   |  |  |
| IPv4 Firewall Throughput<br>(1518 / 512 / 64 byte, UDP)          | 32 / 32 / 24 Gbps                         |  |  |
| IPv6 Firewall Throughput<br>(1518 / 512 / 64 byte, UDP)          | 32 / 32 / 24 Gbps                         |  |  |
| Firewall Latency (64 byte, UDP)                                  | 2.22 µs                                   |  |  |
| Firewall Throughput (Packet per Second)                          | 36 Mpps                                   |  |  |
| Concurrent Sessions (TCP)  | 3.5 Million                               |  |  |
| New Sessions/Second (TCP)  | 310 000                                   |  |  |
| Firewall Policies  | 10 000                                    |  |  |
| IPsec VPN Throughput (512 byte) <sup>1</sup>                     | 20 Gbps                                   |  |  |
| Gateway-to-Gateway IPsec VPN Tunnels                             | 2000                                      |  |  |
| Client-to-Gateway IPsec VPN Tunnels                              | 50 000                                    |  |  |
| SSL-VPN Throughput   | 4.5 Gbps                                  |  |  |
| Concurrent SSL-VPN Users<br>(Recommended Maximum, Tunnel Mode)   | 500                                       |  |  |
| SSL Inspection Throughput (IPS, avg. HTTPS) <sup>3</sup>         | 4.8 Gbps                                  |  |  |
| SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup>                | 3900                                      |  |  |
| SSL Inspection Concurrent Session (IPS, avg. HTTPS) <sup>3</sup> | 300 000                                   |  |  |
| Application Control Throughput (HTTP 64K) <sup>2</sup>           | 12 Gbps                                   |  |  |
| CAPWAP Throughput (1444 byte, UDP)                               | 20 Gbps                                   |  |  |
| Virtual Domains (Default / Maximum)                              | 10 / 25                                   |  |  |
| Maximum Number of FortiSwitches<br>Supported                     | 72  |  |  |
| Maximum Number of FortiAPs<br>(Total / Tunnel)                   | 512 / 256                                 |  |  |
| Maximum Number of FortiTokens                                    | 5000                                      |  |  |
| High Availability Configurations                                 | Active-Active, Active-Passive, Clustering |  |  |
|  |   |  |  |

|   | FORTIGATE 400E-BYPASS                             |
|---|---|
| Dimensions and Power                              |   |
| Height x Width x Length (inches)                  | 1.75 × 17.0 × 16.91                               |
| Height x Width x Length (mm)                      | 44.45 × 432 × 429.4                               |
| Weight  | 19.72 lbs (8.95 kg)                               |
| Form Factor<br>(supports EIA / non-EIA standards) | Rack Mount, 1 RU                                  |
| AC Power Consumption<br>(Average / Maximum)       | 112 W / 214 W                                     |
| AC Power Input                                    | 100-240V, 50/60Hz                                 |
| AC Current (Maximum)                              | 6A  |
| Heat Dissipation                                  | 730 BTU/h   |
| Redundant Power Supplies<br>(Hot Swappable)       | Yes<br>(Default dual AC PSU for 1+1 Redundancy)   |
| Power Supply Efficiency Rating                    | 80Plus Compliant                                  |
| Operating Environment and Certifications          |   |
| Operating Temperature                             | 32°F to 104°F (0°C to 40°C)                       |
| Storage Temperature                               | -31°F to 158°F (-35°C to 70°C)                    |
| Humidity  | 10% to 90% non-condensing                         |
| Noise Level                                       | 48 dBA  |
| Forced Airflow                                    | Side and Front to Back                            |
| Operating Altitude                                | Up to 7400 ft (2250 m)                            |
| Compliance  | FCC Part 15 Class A, RCM, VCCI, CE,<br>UL/cUL, CB |
| Certifications                                    | USGv6/IPv6  |

Note: All performance values are "up to" and vary depending on system configuration.



 $<sup>^{\</sup>rm 1}$  IPsec VPN performance test uses AES256-SHA256.

 $<sup>^{\</sup>rm 2}$  IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

 $<sup>^{\</sup>mbox{\scriptsize 3}}$  SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

 $<sup>^{\</sup>rm 4}$  NGFW performance is measured with Firewall, IPS and Application Control enabled.

<sup>5</sup> Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

### **Subscriptions**

|                                  |   |                                      | Bundles                              |                                      |                               |  |  |
|----------------------------------|---|--------------------------------------|--------------------------------------|--------------------------------------|-------------------------------|--|--|
| Service Category                 | Service Offering  | A-la-carte                           | Enterprise<br>Protection             | Unified Threat<br>Protection         | Advanced Threat<br>Protection |  |  |
| FortiGuard Security<br>Services  | IPS — IPS, Malicious/Botnet URLs  | •                                    | •                                    | •                                    | •                             |  |  |
|                                  | Anti-Malware Protection (AMP)—AV, Botnet Domains, Mobile Malware, Virus Outbreak Protection, Content Disarm and Reconstruct <sup>3</sup> , Al-based Heurestic AV, FortiGate Cloud Sandbox | •                                    | •                                    | •                                    | •                             |  |  |
|                                  | URL, DNS and Video Filtering — URL, DNS and Video <sup>3</sup> Filtering, Malicious Certificate   | •                                    | •                                    | •                                    |                               |  |  |
|                                  | Anti-Spam   |                                      | •                                    | •                                    |                               |  |  |
|                                  | Al-based Inline Malware Prevention <sup>3</sup>   | •                                    | •                                    |                                      |                               |  |  |
|                                  | Data Loss Prevention (DLP) <sup>1</sup>   | •                                    | •                                    |                                      |                               |  |  |
|                                  | Attack Surface Security — IoT Device Detection, IoT Vulnerability Correlation and Virtual Patching, Security Rating, Outbreak Check   | •                                    | •                                    |                                      |                               |  |  |
|                                  | OT Security—OT Device Detection, OT vulnerability correlation and Virtual Patching, OT Application Control and IPS 1  | •                                    |                                      |                                      |                               |  |  |
|                                  | Application Control   |                                      | includ                               | included with FortiCare Subscription |                               |  |  |
|                                  | Inline CASB <sup>3</sup>  |                                      | included with FortiCare Subscription |                                      |                               |  |  |
| SD-WAN and SASE<br>Services      | SD-WAN Underlay Bandwidth and Quality Monitoring  | Models up to FG/<br>FWF-60F series   |                                      |                                      |                               |  |  |
|                                  | SD-WAN Underlay and Application Monitoring Service  | FG-70F series and above              |                                      |                                      |                               |  |  |
|                                  | SD-WAN Overlay-as-a-Service   | •                                    |                                      |                                      |                               |  |  |
|                                  | SD-WAN Connector for FortiSASE Secure Private Access  | •                                    |                                      |                                      |                               |  |  |
|                                  | SASE expansion for SD-WAN (SD-WAN SPA Connector license plus FortiSASE starter kit for n* users) $^{\rm 2}$   | Selected<br>models only <sup>2</sup> |                                      |                                      |                               |  |  |
|                                  | SASE connector for FortiSASE Secure Edge Management (with 10Mbps Bandwidth)   | Desktop<br>models only               |                                      |                                      |                               |  |  |
| NOC and SOC<br>Services          | FortiConverter Service for one time configuration conversion  | •                                    | •                                    |                                      |                               |  |  |
|                                  | Managed FortiGate Service—available 24×7, with Fortinet NOC experts performing device setup, network, and policy change management  | •                                    |                                      |                                      |                               |  |  |
|                                  | FortiGate Cloud—Management, Analysis, and One Year Log Retention  | •                                    |                                      |                                      |                               |  |  |
|                                  | FortiManager Cloud  | •                                    |                                      |                                      |                               |  |  |
|                                  | FortiAnalyzer Cloud   | •                                    |                                      |                                      |                               |  |  |
|                                  | FortiGuard SOCaaS—24×7 cloud-based managed log monitoring, incident triage, and SOC escalation service  | •                                    |                                      |                                      |                               |  |  |
| Hardware and<br>Software Support | FortiCare Essentials  | Desktop<br>models only               |                                      |                                      |                               |  |  |
|                                  | FortiCare Premium   | •                                    | •                                    | •                                    | •                             |  |  |
|                                  | FortiCare Elite   | •                                    |                                      |                                      |                               |  |  |
| Base Services                    | Device/OS Detection, GeoIPs, Trusted CA Certificates, Internet<br>Services and Botnet IPs, DDNS (v4/v6), Local Protection, PSIRT Check,<br>Anti-Phishing                                  |                                      | included with FortiCare Subscription |                                      |                               |  |  |

- 1. Full features available when running FortiOS 7.4.1.
- 2. See the FortiSASE Ordering Guide for supported models and their associated number of user licenses.
- 3. Not available for FortiGate/FortiWiFi 40F, 60E, 60F, 80E, and 90E series from 7.4.4 onwards. Not available for FortiGate/FortiWiFi 30G and 50G series in any OS build.



### **FortiGuard Bundles**

FortiGuard Al-Powered Security Bundles provide a comprehensive and meticulously curated selection of security services to combat known, unknown, zero-day, and emerging Al-based threats. These services are designed to prevent malicious content from breaching your defenses, protect against web-based threats, secure devices throughout IT/OT/IoT environments, and ensure the safety of applications, users, and data. All bundles include FortiCare Premium Services featuring 24×7×365 availability, one-hour response for critical issues, and next-business-day response for noncritical matters.



# **Ordering Information**


| Product               | SKU            | Description   |
|-----------------------|----------------|---|
| FortiGate 400E-BYPASS | FG-400E-BYPASS | $32 \times 10/100/1000$ RJ45 (16 bypass pairs) ports, 1x MGMT, 1x HA, dual AC power supplies.                 |
| Optional Accessories  |                |   |
| Optional Power Supply | SP-FG300E-PS   | AC power supply for FG-300/301E, FG-400/401E, FG-500/501E, FG-600/601E, FAZ-200F/300F/800F and FMG-200F/300F. |

Visit https://www.fortinet.com/resources/ordering-guides for related ordering guides.



### **Fortinet Corporate Social Responsibility Policy**

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.





www.fortinet.com

Copyright © 2025 Fortinet, Inc. All rights reserved. Fortinet®, FortiQate®, Fo