

FortiGate 4200F Series



Highlights

Gartner® Magic Quadrant[™] Leaders for both Network Firewalls and SD-WAN

Secure networking with FortiOS for converged networking and security

Unparalleled

performance with Fortinet's patented SPU and vSPU processors

Enterprise security with consolidated Al / ML-powered FortiGuard services

Hyperscale security to secure any edge at any scale

High Performance with Flexibility

The FortiGate 4200F Series enables organizations to build security-driven networks, forming the foundation of a robust Hybrid Mesh Firewall architecture. This approach weaves security deep into their datacenter and across their hybrid IT environment, protecting any edge at any scale.

Powered by a rich set of Al/ML-based FortiGuard Services and an integrated security fabric platform, the FortiGate 4200F Series delivers coordinated, automated, end-to-end threat protection across all use cases. The industry's first integrated Zero Trust Network Access (ZTNA) enforcement within an NGFW solution, FortiGate 4200F automatically controls, verifies, and facilitates user access to applications, delivering consistent convergence with a seamless user experience across your distributed network.

The industry's first integrated zero-trust network access (ZTNA) enforcement within an NGFW solution, the FortiGate 4200F automatically controls, verifies, and facilitates user access to applications, reducing lateral threats by providing access only to validated users for seamless user experience.

IPS	NGFW	Threat Protection	Interfaces
52 Gbps	47 Gbps	45 Gbps	Multiple GE RJ45, 25 GE SFP28 / 10 GE SFP+ / GE SFP and 100 GE QSFP28 / 40 GE QSFP+ slots DC Variants

Use Cases

Next Generation Firewall (NGFW)

- FortiGuard Labs' suite of AI-Powered Security Services, natively integrated with your NGFW, secures web, content, and devices and protects networks from ransomware, malware, zero days, and sophisticated AI-powered cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU technology provides industry-leading high-performance protection

Segmentation

- Dynamic segmentation adapts to any network topology to deliver true end-to-end security from the branch to the data center and across multi-cloud environments
- Ultra-scalable, low latency, VXLAN segmentation bridges physical and virtual domains with Layer 4 firewall rules
- Prevents lateral movement across the network with advanced, coordinated protection from FortiGuard Security Services, detects and prevents known, zero-day, and unknown attacks



- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for hybrid working models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and selfhealing

Mobile Security for 4G, 5G, and IoT

- SPU-accelerated, high-performance CGNAT and IPv6 migration options, including: NAT44, NAT444, NAT64/DNS64, NAT46 for 4G Gi/sGi, and 5G N6 connectivity and security
- Radio access network security with highly scalable and highest-performing IPsec aggregation and control security gateway
- User plane security enabled by full threat protection and visibility into GTP-U inspection







FortiGuard AI-Powered Security Services

FortiGuard AI-Powered Security Services is part of Fortinet's layered defense and tightly integrated into our FortiGate NGFWs and other products. Infused with the latest threat intelligence from FortiGuard Labs, these services protect organizations against modern attack vectors and threats, including zero-day and sophisticated AI-powered attacks.

Network and file security

Network and file security services protect against network and file-based threats. With over 18,000 signatures, our industry-leading intrusion prevention system (IPS) uses AI/ML models for deep packet/SSL inspection, detecting and blocking malicious content, and applying virtual patches for newly discovered vulnerabilities. Anti-malware protection defends against both known and unknown file-based threats, combining antivirus and sandboxing for multi-layered security. Application control improves security compliance and provides real-time visibility into applications and usage.

Web/DNS security

Web/DNS security services protect against DNS-based attacks, malicious URLs (including those in emails), and botnet communications. DNS filtering blocks the full spectrum of DNS-based attacks while URL filtering uses a database of over 300 million URLs to identify and block malicious links. Meanwhile, IP reputation and anti-botnet services guard against botnet activity and DDoS attacks. FortiGuard Labs blocks over 500 million malicious/phishing/ spam URLs weekly, and blocks 32,000 botnet command-and-control attempts every minute, demonstrating the robust protection offered through Fortinet.

SaaS and data security

SaaS and data security services cover key security needs for application use and data protection. This includes data loss prevention to ensure visibility, management, and protection (blocking exfiltration) of data in motion across networks, clouds, and users. Our inline cloud access security broker service protects data in motion, at rest, and in the cloud, enforcing compliance standards and managing account, user, and cloud app usage. Services also assess infrastructure, validate configurations, and highlight risks and vulnerabilities, including IoT device detection and vulnerability correlation.

Zero-Day threat prevention

Zero-day threat prevention is achieved through AI-powered inline malware prevention to analyze file content to identify and block unknown malware in real time, delivering sub-second protection across all NGFWs. The service also integrates the MITRE ATT&CK matrix to speed up investigations. Integrated into FortiGate NGFWs, the service provides comprehensive defense by blocking unknown threats, streamlining incident response, and reducing security overhead.

OT security

With over 1000 virtual patches, 1100+ OT applications, and 3300+ protocol rules, integrated OT security capabilities detect threats targeting OT infrastructure, perform vulnerability correlation, apply virtual patching, and utilize industry-specific protocol decoders for robust defense of OT environments and devices.



Available in



Appliance



Virtual



Hosted



Cloud



FortiOS Everywhere

FortiOS, Fortinet's Real-Time Network Security Operating System

FortiOS is the operating system that powers Fortinet Security Fabric platform, enabling enforcement of security policies and holistic visibility across the entire attack surface. FortiOS provides a unified framework for managing and securing networks, cloud-based, hybrid, or a convergence of IT, OT, and IoT. FortiOS enables seamless and efficient interoperation across Fortinet products with consistent and consolidated Al-powered protection across today's hybrid environments.

Unlike traditional point solutions, Fortinet adopts a holistic approach to cybersecurity, aiming to reduce complexities, eliminate security silos, and improve operational efficiencies. By consolidating security functions into a single platform, FortiOS simplifies management, reduces costs, and enhances overall security posture. Together, FortiGate and FortiOS create intelligent, adaptive protection to help organizations reduce complexity, eliminate security silos, and optimize user experience.

By integrating generative AI (GenAI), FortiOS further enhances the ability to analyze network traffic and threat intelligence, detects deviations or anomalies more effectively, and provides more precise remediation recommendations, ensuring minimum performance impact without compromising security.

Learn more about what's new in FortiOS. <u>https://www.fortinet.com/products/fortigate/fortios</u>



Intuitive easy to use view into the network and endpoint vulnerabilities

	= 0					
Outboard	+ Add widget					
\$2NI	System Information	Ex. House	123497.16.0	 Security Fabric 	a 0.5×	Assets-Witerah., 25
Smarty	Automa and an Party					
Network Assets & Merrilles	Section and and and and and and and and and an		- A D		LANEAge	-
AGRES & REPORTS	Fermine stationers		et Update PS	Tri D Curica		
	Mode MIZ		00			
FostViewSeyTox	System time 2024/09/11/12	254 40			abric Cannectars	- y
Furthern Destinations	Uptime 12537m 45				🔏 Ferifaceben	
Partition Applications	WHIP #15.972143			E Maragement	4 TorsClertEMS	
Fort Mee Web Store						-
Fot View Policies	Forth/eva dealizations by f			 Notic & Dyna 		
Forthfree Services	Portitives Applications by t	lyies	E 074eo* 2 =	· Subc&Dyaa	wis Kouling	
é nevez	Autoto	Conserv	Data a		Type	
P Pulsy& Chinese	D 2 HTTPL/P24918	Dimesters	2.4108		- Come. 8	
P. Sanch Paties	Mercarb Inda	Collaboration	423.00 MR	- 7	•141 Ø	
D VIN	0 2.98	D Notenzi Senice	20112340			<u>~</u>
7. Ver&Autoritation	2 HTTP///COVER	Crawle Clared	134,15546			
V WHA Selek Controller	2 HTTP ARCOVER	D/WebClevi D/Deutlf	1313646			
8 faten 🚺	P Karnes / headpase	P.A.M		6.18		
🛛 Searia Febric 💦 🚺	For Direction and Party Inc.				h Nites by Thread Score	
LT. Logik Report	Por Wiew Sources by Three	6.5core	E 074en* 2 =	· Forthiew We	b Siles by Threat Score	E 076
	Seurce	Device	Thread Score-	Due	uin Can	eon Tr
	□ A 300.12.2		201.701	C Dotate	-	208
	0 8 900113		87.585	O Disting	1	
	A 200323		25.623	- Betreet	Lorn	
	D 3 100123		22.641	0172.56.5	09.4	
		The second s	0.000	- Ormers		
PERTINET				5.18		

Comprehensive view of network performance, security, and system status

Fortinet ASICs: Unrivaled Security, Unprecedented Performance

Powered by the only purpose-built SPU

Traditional firewalls cannot protect against today's content and connection-based threats because they rely on off-the-shelf general-purpose central processing units (CPUs), leaving a dangerous security gap. Fortinet's custom SPUs deliver the power you need to radically increase speed, scale, and efficiency while greatly improving user experience and reducing footprint and power requirements. Fortinet's SPUs deliver up to 520 Gbps of protected throughput to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

Fortinet ASICs are designed to be energy-efficient, leading to lower power consumption and improved TCO. They deliver industry-leading throughput, handle more traffic and perform security inspections faster, reduce latency for quicker packet processing and minimize network delays.

Fortinet SPUs are designed with integrated security functions like zero trust, SSL, IPS, and VXLAN to name but a few, dramatically improving the performance of these functions that competitors traditionally implement in software.

Network processor NP7

Network processors operate in line to deliver unmatched performance and scalability for critical network functions. Fortinet's breakthrough SPU NP7 works in line with FortiOS functions to deliver:

- Hyperscale firewall, accelerated session setup, and ultra-low latency
- Industry-leading performance for VPN, VXLAN termination, hardware logging, and elephant flows

Content processor CP9

Content processors act as co-processors to offload resource-intensive processing of security functions. The ninth generation of the Fortinet Content Processor, the CP9, accelerates resource-intensive SSL (including TLS 1.3) decryption and security functions while delivering:

- Pattern matching acceleration and fast inspection of real-time traffic for application identification
- IPS pre-scan/pre-match, signature correlation offload, and accelerated antivirus processing



FortiManager

Centralized management at scale for distributed enterprises

FortiManager, powered by FortiAl, is a centralized management solution for the Fortinet Security Fabric. It streamlines mass provisioning and policy management for FortiGate, FortiGate VM, cloud security, SD-WAN, SD-Branch, FortiSASE, and ZTNA in hybrid environments. Additionally, FortiManager provides real-time monitoring of the entire managed infrastructure and automates network operation workflows. Leveraging GenAl in FortiAl, it further enhances Day 0–1 configurations and provisioning, and Day N troubleshooting and maintenance, unlocking the full potential of the Fortinet Security Fabric and significantly boosting operational efficiency.



GenAl in FortiManager helps manage networks effortlessly—generates configuration and policy scripts, troubleshoots issues, and executes recommended actions.

FortiConverter Service

Migration to FortiGate NGFW made easy

 $\equiv \mathbf{1}$

The FortiConverter Service provides hassle-free migration to help organizations transition quickly and easily from a wide range of legacy firewalls to FortiGate NGFWs. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.

FortiCare Services


Expertise at your service



Fortinet prioritizes customer success through FortiCare Services, optimizing the Fortinet Security Fabric solution. Our comprehensive life-cycle services include Design, Deploy, Operate, Optimize, and Evolve. The FortiCare Elite, one of the service offerings, provides heightened SLAs and swift issue resolution with a dedicated support team. This advanced support option includes an extended end-of-engineering support of 18 months, providing flexibility and access to the intuitive FortiCare Elite portal for a unified view of device and security health, streamlining operational efficiency and maximizing Fortinet deployment performance.

Hardware

FortiGate 4200F Series



Hardware Features





Hyperscale Firewall License

This perpetual license empowers organizations by unlocking further performance boosts. The Hyperscale Firewall License enables the hardware acceleration of CGNAT features by utilizing Fortinet's patented SPU NP7. These features include hardware session setup, firewall session logging, and NAT.

Trusted Platform Module (TPM)

The FortiGate 4200F Series features a dedicated module that hardens physical networking appliances by generating, storing, and authenticating cryptographic keys. Hardware-based security mechanisms protect against malicious software and phishing attacks.

100 GE Connectivity for Network

High-speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 4200F series provides multiple 100 GE QSFP28 slots, simplifying network designs without relying on additional devices to bridge desired connectivity.

Interfaces

- 1. 1 x USB Management and Console Port
- 2. 2 x GE RJ45 Management Ports
- 3. 2 × 25 GE SFP28/ 10 GE SFP+/ GE SFP High Availability Slots
- 4. 2 × 25 GE SFP28/ 10 GE SFP+/ GE SFP Slots
- 5. 16 × 25 GE SFP28/ 10 GE SFP+/ GE SFP Slots
- 6. 8 × 100 GE QSFP28/ 40 GE QSFP+ Slots

Specifications

	FG-4200F/-DC	FG-4201F/-DC
Interfaces and Modules		
Hardware Accelerated 100 GE QSFP28 / 40 GE QSFP+ Slots	8	
Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ / GE SFP Slots	16	
Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ / GE SFP HA Slots	2	
Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ / GE SFP AUX Slots	2	
GE RJ45 Management Ports	2	
USB Port	1	
Console Port	1	
Onboard Storage	0	2× 1.92TB SSD
Trusted Platform Module (TPM)	\odot	
Bluetooth Low Energy (BLE)		
Signed Firmware Hardware Switch		
Included Transceivers	2x SFP+ (SF	R 10 GE)
System Performance — Enterprise Traffic Mix	t	
IPS Throughput ²	52 Gbj	ps
NGFW Throughput ^{2, 4}	47 Gb	
Threat Protection Throughput ^{2,5}	45 Gb	
System Performance and Capacity		
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	800 / 788 / 4	00 Gbps
IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)	800 / 788 / 4	00 Gbps
Firewall Latency (64 byte, UDP)	3.02 µ	IS
Firewall Throughput (Packet per Second)	600 Mp	ops
Concurrent Sessions (TCP)	210 Million / 45	50 Million*
New Sessions/Second (TCP)	1 Million / 7	Million*
Firewall Policies	400 00	00
IPsec VPN Throughput (512 byte) ¹	210 Gb	ops
Gateway-to-Gateway IPsec VPN Tunnels	40 00	00
Client-to-Gateway IPsec VPN Tunnels	200 00	00
SSL-VPN Throughput	16 Gbj	
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)	30 00	00
SSL Inspection Throughput (IPS, avg. HTTPS) ³	50 Gb	ps
SSL Inspection CPS (IPS, avg. HTTPS) $^{\scriptscriptstyle 3}$	34 00	00
SSL Inspection Concurrent Session (IPS, avg. HTTPS) $^{\scriptscriptstyle 3}$	9 Millio	on
Application Control Throughput (HTTP 64K) ²	135 Gb	ops
CAPWAP Throughput (HTTP 64K)	47 Gbj	ps
Virtual Domains (Default / Maximum)	10 / 50	00
Maximum Number of FortiSwitches Supported	300	
Maximum Number of FortiAPs (Total / Tunnel)	8192 / 4	096
Maximum Number of FortiTokens	20 00	00
Maximum Number of Registered FortiClients	50 00	00
High Availability Configurations	Active-Active, Active-F	Passive, Clustering

Height x Width x Length (mm)	132.5 × 437 × 664.8			
Weight	59.75 lbs (27.1 kg)	61.07 lbs (27.7 kg)		
Form Factor (supports EIA/non-EIA standards)	Rack Mot	unt, 3 RU		
AC Power Supply	100-240V A	C, 50/60 Hz		
AC Current (Maximum)	5.5A@240V			
Power Consumption (Average / Maximum)	931 W / 1291 W	940 W / 1306 W		
DC Power Supply	-48V to -	-60V DC		
DC Current (Average / Maximum)	20A / 1	00Apk		
Heat Dissipation	4405 BTU/h	4456 BTU/h		
Redundant Power Supplies	Default 1+1 Redund	ant, Hot Swappable		
Power Supply Efficiency Rating	80Plus C	ompliant		
Fan Tray	Hot Swa	appable		
Operating Environment and Certifications				
Operating Temperature	32°F to 104°F	(0°C to 40°C)		
Storage Temperature	-31°F to 158°F	(-35°C to 70°C)		
Humidity	20% to 90% no	on-condensing		
Noise Level	57 c	lВА		
Forced Airflow	Front t	o Back		
Operating Altitude	Up to 7400	ft (2250 m)		

FG-4200F/-DC

5.22 × 17.20 × 26.17

FCC Part 15 Class A, RCM, VCCI, CE, UL/CUL, CB USGv6/IPv6

* Requires Hyperscale Firewall License

Compliance

Certifications

Dimensions and Power Height x Width x Length (inches)

Note: All performance values are "up to" and vary depending on system configuration.

¹ IPsec VPN performance test uses AES256-SHA256.

 $^{\rm 2}$ IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

 $^{\rm s}$ SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.



⁵ Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

FG-4201F/-DC

Subscriptions

			Bundles		
Service Category	Service Offering	A-la-carte	Enterprise Protection	Unified Threat Protection	Advanced Threat Protection
FortiGuard Security	IPS — IPS, Malicious/Botnet URLs	A-la-Cai le	·	Protection	Protection
Services	Anti-Malware Protection (AMP)—AV, Botnet Domains, Mobile Malware, Virus Outbreak Protection, Content Disarm and Reconstruct ³ , Al-based Heurestic AV, FortiGate Cloud Sandbox	•	•	•	•
	URL, DNS and Video Filtering — URL, DNS and Video ³ Filtering, Malicious Certificate	•	•	•	
	Anti-Spam		•	•	
	Al-based Inline Malware Prevention ³	•	•		
	Data Loss Prevention (DLP) 1	•	•		
	Attack Surface Security — IoT Device Detection, IoT Vulnerability Correlation and Virtual Patching, Security Rating, Outbreak Check	•	•		
	OT Security—OT Device Detection, OT vulnerability correlation and Virtual Patching, OT Application Control and IPS ¹	•			
	Application Control		included with FortiCare Subscription		
	Inline CASB ³		includ	ed with FortiCare Subs	cription
SD-WAN and SASE Services	SD-WAN Underlay Bandwidth and Quality Monitoring	Models up to FG/ FWF-60F series			
	SD-WAN Underlay and Application Monitoring Service	FG-70F series and above			
	SD-WAN Overlay-as-a-Service	•			
	SD-WAN Connector for FortiSASE Secure Private Access	•			
	SASE expansion for SD-WAN (SD-WAN SPA Connector license plus FortiSASE starter kit for n* users) $^{\rm 2}$	Selected models only ²			
	SASE connector for FortiSASE Secure Edge Management (with 10Mbps Bandwidth)	Desktop models only			
NOC and SOC Services	FortiConverter Service for one time configuration conversion	•	•		
Seivices	Managed FortiGate Service—available 24×7, with Fortinet NOC experts performing device setup, network, and policy change management	•			
	FortiGate Cloud—Management, Analysis, and One Year Log Retention	•			
	FortiManager Cloud	•			
	FortiAnalyzer Cloud	•			
	FortiGuard SOCaaS—24×7 cloud-based managed log monitoring, incident triage, and SOC escalation service	•			
Hardware and Software Support	FortiCare Essentials	Desktop models only			
	FortiCare Premium	•	•	•	•
	FortiCare Elite	٠			
Base Services	Device/OS Detection, GeoIPs, Trusted CA Certificates, Internet Services and Botnet IPs, DDNS (v4/v6), Local Protection, PSIRT Check, Anti-Phishing		includ	ed with FortiCare Subs	cription

1. Full features available when running FortiOS 7.4.1.

2. See the FortiSASE Ordering Guide for supported models and their associated number of user licenses.

3. Not available for FortiGate/FortiWiFi 40F, 60E, 60F, 80E, and 90E series from 7.4.4 onwards. Not available for FortiGate/FortiWiFi 30G and 50G series in any OS build.



FortiGuard Bundles

FortiGuard AI-Powered Security Bundles provide a comprehensive and meticulously curated selection of security services to combat known, unknown, zero-day, and emerging AI-based threats. These services are designed to prevent malicious content from breaching your defenses, protect against web-based threats, secure devices throughout IT/OT/IoT environments, and ensure the safety of applications, users, and data. All bundles include FortiCare Premium Services featuring 24×7×365 availability, one-hour response for critical issues, and next-business-day response for noncritical matters.


Ordering Information

Product	SKU	Description
FortiGate 4200F	FG-4200F	$8\times$ 100GE/40GE QSFP28 slots and 18 \times 25GE/10GE SFP28 slots, 2x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, 2 AC power supplies.
FortiGate 4201F	FG-4201F	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, 2× 1.92TB storage and 2 AC power supplies.
FortiGate 4200F-DC	FG-4200F-DC	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, and 2 DC power supplies.
FortiGate 4201F-DC	FG-4201F-DC	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, 2× 1.92TB storage and 2 DC power supplies.
Hyperscale Firewall License	LIC-FGT-HYPSC	Hyperscale Firewall License for FortiGate FG-4200F/FG4201F Series for hardware session setup acceleration and logging.
Optional Accessories/Spares	SKU	Description
Rack Mount Sliding Rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3400/3401E, FG-3600E-DC/3601E, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC, FG-3950B/-DC, and FG4200F/4201F.
AC Power Supply	SP-FG4000F-PS	2000W AC power supply for 4000F and 6000F series, does not include SP-FGPCORC15-XX power cord.
AC Power Cord	SP-FGPCORC15-XX	6 ft power cord, 15A125V XXX, PSE BLACK ROHS-6, for FG-3900E, 4000F, 6000F and 7000E/F Series.
DC Power Supply	SP-FG4000F-DC-PS	DC power supply for FG-4200F-DC/4201F-DC, FG-4400F-DC/4401F-DC and FG-6000F-DC.
Fan Tray	SP-FG4K6K-FAN	Spare Hotswappable Fan Module for FG-420xF/440xF/6000F.
Transceiver Modules	SKU	Description
1 GE SFP LX Transceiver Module	FN-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FN-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP SX Transceiver Module	FN-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ RJ45 Transceiver Module	FN-TRAN-SFP+GC	10 GE SFP+ RJ45 transceiver module for systems with SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FN-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FN-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, 30km Long Range	FN-TRAN-SFP+BD27	10 GE SFP+ transceiver module, 30km long range single BiDi for systems with SFP+ and SFP/ SFP+ slots (connects to FN-TRAN-SFP+BD33, ordered separately).
10 GE SFP+ Transceiver Module, (connects to FN-TRAN-SFP+BD27, ordered separately)	FN-TRAN-SFP+BD33	10 GE SFP+ transceiver module, 30km long range single BiDi for systems with SFP+ and SFP/ SFP+ slots (connects to FN-TRAN-SFP+BD27, ordered separately).
25 GE SFP28 Transceiver Module, Long Range	FN-TRAN-SFP28-LR	25 GE SFP28 transceiver module, long range for all systems with SFP28 slots.
25 GE SFP28 Transceiver Module, Short Range	FN-TRAN-SFP28-SR	25 GE SFP28 transceiver module, short range for all systems with SFP28 slots.
40 GE QSFP+ Transceiver Module, Short Range	FN-TRAN-QSFP+SR	40 GE QSFP+ transceiver module, short range for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Short Range BiDi	FG-TRAN-QSFP+SR-BIDI	40 GE QSFP+ transceiver module, short range BiDi for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Long Range	FN-TRAN-QSFP+LR	40 GE QSFP+ transceiver module, long range for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, 40km Extended Range	FN-TRAN-QSFP+ER	40 GE QSFP+ transceiver module, 40km extended range, for systems with QSFP+/QSFP28 slots.
100 GE QSFP28 Transceiver Module	FN-TRAN-QSFP28-DR	100 GE QSFP28 transceiver module, single channel single-mode fiber, 100GBase-DR for systems with QSFP28 slots.
100 GE QSFP28 Transceiver Module, Short Range	FN-TRAN-QSFP28-SR	100 GE QSFP28 transceivers, 4 channel parallel fiber, short range for all systems with QSFP28 slots.
100 GE QSFP28 Transceiver Module, Long Range	FN-TRAN-QSFP28-LR	100 GE QSFP28 transceivers, 4 channel parallel fiber, long range for all systems with QSFP28 slots.
100 GE QSFP28 BIDI Transceiver Module	FN-TRAN-QSFP28-BIDI	100 GE QSFP28 BIDI transceiver module, 100m MMF LC connector, for systems with QSFP28 slots.
100 GE QSFP28 BIDI Transceiver Module, Inphi chipset	FN-TRAN-QSFP28-BIDI-I	100 GE QSFP28 BIDI transceiver module, Inphi chipset, short range, for systems with QSFP28 slots.
100 GE QSFP28 Transceiver Module	FN-TRAN-QSFP28-CWDM4	100 GE QSFP28 transceiver module, LC connectors, 2KM for all systems with QSFP28 Slots.
100 GE QSFP28 Transceiver Module, 20km Extended Range	FN-TRAN-QSFP28-ER	100 GE QSFP28 transceiver module, 20km extended range, eLR4, gen3, for systems with QSFP28 slots.
Cables	SKU	Description
40 GE QSFP+ Passive Direct Attach Cable, 1m Range	SP-CABLE-FS-QSFP+1	40 GE QSFP+ Passive Direct Attach Cable, 1m range for Systems with QSFP+ slots.
40 GE QSFP+ Passive Direct Attach Cable, 3m Range	SP-CABLE-FS-QSFP+3	40 GE QSFP+ Passive Direct Attach Cable, 3m range, for Systems with QSFP+ slots.
40 GE QSFP+ Passive Direct Attach Cable, 5m Range	SP-CABLE-FS-QSFP+5	40 GE QSFP+ Passive Direct Attach Cable, 5m range, for Systems with QSFP+ slots.

Visit <u>https://www.fortinet.com/resources/ordering-guides</u> for related ordering guides.

Fortinet Corporate Social Responsibility Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.



F

www.fortinet.com

Copyright © 2025 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, Fo